Index of Authors

ALLEN, J. R. and KEMP, D. H. Observations on the behaviour of *Dermacentor andersoni* larvae infesting normal and tick resistant guinea-pigs, 195

BALLINGALL, S. *See* MCDONALD, V.
BELLATTI, M. A. *See* SHIRLEY, M. W.
BICKLE, Q. D. Studies on the relationship between the survival of *Schistosoma mansoni* larvae in mice and the degree of resistance produced, 111
BICKLE, Q. *See* HARRISON, R. A.
BUENING, G. M. *See* PALMER, D. A.
BUENO, L., DAKKAK, A. and FIORAMONTI, J. Gastro-duodenal motor and transit disturbances associated with *Haemonchus contortus* infection in sheep, 367
BUTTERWORTH, A. E. *See* TAYLOR, D. W.

CAPRON, A. *See* TORPIER, G.
CARSON, C. A. *See* PALMER, D. A.
CHAPMAN, H. D., FERNANDES, D. L. and DAVISON, T. F. A comparison of the effects of infection with *Eimeria maxima* and dietary restriction on weight gain, plasma metabolites and liver glycogen in the immature fowl, *Gallus domesticus*, 205
CHO, C. H. and METTRICK, D. F. Circadian variation in the distribution of *Hymenolepis diminuta* (Cestoda) and 5-hydroxytryptamine levels in the gastro-intestinal tract of the laboratory rat, 431
CLEGG, J. A. *See* SMITH, M. A.
COOMBS, G. H. Proteinases of *Leishmania mexicana* and other flagellate protozoa, 149
CROMPTON, D. W. T. *See* PUERA, RAIJA

DAKKAK, A. *See* BUENO, L.
DAVISON, T. F. *See* CHAPMAN, H. D.
DE REGGI, M. *See* TORPIER, G.
DOENHOFF, M. J. *See* HARRISON, R. A.

ERASMUS, D. A., POPIEL, I. and SHAW, J. R. A comparative study of the vitelline cell in *Schistosoma mansoni*, *S. haematobium*, *S. japonicum* and *S. mattheei*, 283

FERNANDES, D. L. *See* CHAPMAN, H. D.
FINLAYSON, JANET E. The alleged alternation of sexual phases in *Kuhnia scombri*, a monogenean of *Scomber scombrus*, 303
FIORAMONTI, J. *See* BUENO, L.
FOURNIE, J. W. *See* SOLANGI, M. A.
FRIED, B. and LEIBY, D. A. Intraspecific and interspecific pairing of *Haematoloechus medioplexus* (Trematoda) and *Echinostoma revolutum* (Trematoda) adults *in vitro*, and observations on *H. medioplexus* lipophilic excretory–secretory products, 375
FURUHASHI, ASAMI. *See* MAKI, JUN.

GAZZINELLI, G. *See* VAN PIJKEREN, THEA A.
GEORGI, JAY R. *Schistosoma mansoni*: quantification of skin penetration and early migration by differential external radioassay and autoradiography, 263
GONZALEZ, J. *See* MAILLARD, C.
GORDON, D. M. and RAU, M. E. Possible evidence for mortality induced by the parasite *Apatemon gracilis* in a population of brook sticklebacks (*Culaea inconstans*), 41
GREGSON, N. A. *See* TURNER, D. P.
GRENCIS, R. K. *See* LEE, T. D. G.

HARRISON, R. A., BICKLE, Q. and DOENHOFF, M. J. Factors affecting the acquisition of resistance against *Schistosoma mansoni* in the mouse. Evidence that the mechanisms which mediate resistance during early patent infections may lack immunological specificity, 93

HIRN, M. *See* TORPIER, G.
HUDSON, L. *See* WILLIAMS, G. T.

KEMP, D. H. *See* ALLEN, J. R.
KEYMER, ANNE. Density-dependent mechanisms in the regulation of intestinal helminth populations, 573
KEYMER, ANNE. The dynamics of infection of *Tribolium confusum* by *Hymenolepis diminuta*: the influence of exposure time and host density, 157

LAWN, A. M. *See* MILLARD, B. J.
LEE, T. D. G., GRENCIS, R. K. and WAKELIN, D. Specific cross-immunity between *Trichinella spiralis* and *Trichuris muris*: immunization with heterologous infections and antigens and transfer of immunity with heterologous immune mesenteric lymph node cells, 381
LEIBY, D. A. *See* FRIED, B.
LOSOS, G. J., MCMILLAN, I., MINDER, CH. E. and SOULSBY, K. Quantitative methods in the study of the pathogenesis of haemoprotozoal diseases, 537

MACKIEWICZ, J. S. Caryophyllidea (Cestoidea): perspectives, 397
MACKINNON, BARBARA M. The structure and possible function of the ventral papillae of *Notocotylus triserialis* Diesing, 1839, 313
MAILLARD, C., GONZALEZ, J. and NOISY, D. A scanning electron microscope study of the male copulatory sclerite of the monogenean *Diplectanum aequans*, 63
MAKI, JUN, FURUHASHI, ASAMI and YANAGISAWA, TOSHIO. The activity of acid proteases hydrolysing haemoglobin in parasitic helminths with special reference to interspecific and intraspecific distribution, 137
MCDONALD, V., BALLINGALL, S. and SHIRLEY, M. W. A preliminary study of the nature of infection and immunity in chickens given an attenuated line of *Eimeria acervulina*, 21
MCLAUGHLIN, J. D. *See* SCOTT, MARILYN E.
MCMANUS, D. P. and SMYTH, J. D. Intermediary carbohydrate metabolism in protoscoleces of *Echinococcus granulosus* (horse and sheep strains) and *E. multilocularis*, 351
MCMILLAN, I. *See* LOSOS, G. J.
MEEROVITCH, EUGENE. *See* POCOCK, DOROTHY
METTRICK, D. F. *See* CHO, C. H.
MILLARD, B. J. and LAWN, A. M. Parasite–host relationships during the development of *Eimeria dispersa* Tyzzer 1929, in the turkey (*Meleagris gallopavo gallopavo*) with a description of intestinal intra-epithelial leucocytes, 13
MILLARD, B. J. *See* SHIRLEY, M. W.
MINDER, CH. E. *See* LOSOS, G. J.
MOLOO, S. K. Cyclical transmission of pathogenic *Trypanosoma* species by gamma-irradiated sterile male *Glossina morsitans morsitans*, 289

NARCISI, ELIZABETH M. *See* PAPPAS, P. W.

NEWPORT, G. R. and WELLER, T. H. Miracidia infective for snails derived from eggs laid by adult *Schistosoma mansoni in vitro*, 481
NIRDE, P. *See* TORPIER, G.
NOISY, D. *See* MAILLARD, C.

O'CONNOR, G. R. *See* TABBARA, K. F.
OVERSTREET, R. M. *See* SOLANGI, M. A.

PALMER, D. A., BUENING, G. M. and CARSON, C. A. Cryopreservation of *Babesia bovis* for *in vitro* cultivation, 567
PAPPAS, P. W. and NARCISI, ELIZABETH M. A comparison of membrane-bound enzymes of the isolated brush border plasma membranes of the cestodes *Hymenolepis diminuta* and *H. microstoma*, 391
PEURA, RAIJA, VALTONEN, E. T. and CROMPTON, D. W. T. The structure of the mature oocyte and zygote of *Corynosoma semerme* (Acanthocephala), 475

VAN PIJKEREN, THEA A., TAVARES, C. A. P. and GAZZINELLI, G. *Schistosoma mansoni*: ability of Con A to protect *in vitro* mechanically transformed schistosomula against the lethal effect of immune serum plus complement, 239
POCOCK, DOROTHY and MEEROVITCH, EUGENE. The anti-neoplastic effect of trichinellosis in a syngeneic murine model, 463
POJMAŃSKA, TERESA. The co-occurrence of three species of *Diorchis* Clerc, 1903 (Cestoda: Hymenolepididae) in the European coot, *Fulica atra* L., 419
POPIEL, I. *See* ERASMUS, D. A.

RAU, M. E. *See* GORDON, D. M.
RAU, M. E. *See* SCOTT, MARILYN E.

SAKURAGI, S. *See* TABBARA, K. F.
SCOTT, MARILYN E., RAU, M. E. and MCLAUGHLIN, J. D. Comparative migration, growth and development of *Typhlocoelum cucumerinum sisowi* in dabbling ducks and *Typhlocoelum cucumerinum* in diving ducks, 333
SHAW, J. R. *See* ERASMUS, D. A.
SHIRLEY, M. W., BELLATTI, M. A. and MILLARD, B. J. An egg-adapted (attenuated) line of *Eimeria necatrix*: further studies on its reproduction, pathogenicity and immunogenicity, 215
SHIRLEY, M. W. *See* MCDONALD, V.
SIMPSON, A. J. G. *See* TENNISWOOD, M. P. R.
SIMPSON, NORMA E. *See* WILSON, P. A. G.
SINDEN, R. E. Gametocytogenesis of *Plasmodium falciparum in vitro*: an electron microscopic study, 1
SINNIAH, B. Daily egg production of *Ascaris lumbricoides*: the distribution of eggs in the faeces and the variability of egg counts, 167
SMITH, GARY. An analysis of variations in the age structure of *Fasciola hepatica* populations in sheep, 49
SMITH, M. A., CLEGG, J. A., SNARY, D. and TREJDOSIEWICZ, A. J. Passive immunization of mice against *Schistosoma mansoni* with an IgM monoclonal antibody, 83
SMYTH, J. D. *See* MCMANUS, D. P.
SNARY, D. *See* SMITH, M. A.
SOLANGI, M. A., OVERSTREET, R. M. and FOURNIE, J. W. Effect of low temperature on development of the coccidium *Eimeria funduli* in the Gulf killifish, 31
SOULSBY, K. *See* LOSOS, G. J.

TABBARA, K. F., SAKURAGI, S. and O'CONNOR, G. R. Minocycline in the chemotherapy of murine toxoplasmosis, 297
TAVARES, C. A. P. *See* VAN PIJKEREN, THEA A.
TAYLOR, D. W. and BUTTERWORTH, A. E. Monoclonal antibodies against surface antigens of schistosomula of *Schistosoma mansoni*, 65
TELFORD, SAM R. JR. Re-discovery of *Haemoproteus kopki* (De Mello, 1916) in two geckoes from the Afghan border of Pakistan, 527
TENNISWOOD, M. P. R. and SIMPSON, A. J. G. The extraction, characterization and *in vitro* translation of RNA from adult *Schistosoma mansoni*, 253
THOMPSON, S. N. Effects of parasitization by the insect parasite *Hyposoter exiguae* on the growth, development and physiology of its host *Trichoplusia ni*, 491
TORPIER, G., HIRN, M., NIRDE, P., DE REGGI, M. and CAPRON, A. Detection of ecdysteroids in the human trematode, *Schistosoma mansoni*, 123
TREJDOSIEWICZ, A. J. *See* SMITH, M. A.
TURNER, D. P. and GREGSON, N. A. The cell surface of *Plasmodium gallinaceum* sporozoites: microelectrophoretic and lectin-binding characteristics, 227

VANOVERSCHELDE, R. Studies on the life-cycle of *Himasthla militaris* (Trematoda: Echinostomatidae): influence of temperature and salinity on the life-span of the miracidium and the infection of the first intermediate host, *Hydrobia ventrosa*, 131

VALTONEN, E. T. *See* PUERA, RAIJA

WAKELIN, D. *See* LEE, T. D. G.
WARD, P. F. V. Aspects of helminth metabolism, 177
WELLER, T. H. *See* NEWPORT, G. R.
WHARTON, D. A. The survival of desiccation by the free-living stages of *Trichostrongylus colubriformis* (*Nematoda*: *Trichostrongylidae*), 455
WILLIAMS, G. T. and HUDSON, L. Growth of *Trypanosoma cruzi in vitro*: development and application of a continuous-flow culture system, 511
WILSON, P. A. G. and SIMPSON, NORMA E. *Strongyloides ratti*: studies of ^{75}Se-labelled larvae of the homogonic strain in female hosts, 443

YANAGISAWA, TOSHIO. *See* MAKI, JUN.

Index of Subjects

Acid proteases, distribution of in helminths, 137
Acquired resistance, correlation of with tissue egg counts in *Schistosoma mansoni* infections, 93
Age structure, analysis of variations of in *Fasciola hepatica* populations, 49
Amastigotes, high proteinase activity in, in *Leishmania mexicana*, 149
Anhydrobiosis, a possible model for the study of, 455
Antigens, source of for the induction of resistance to larval schistosomes, 111
Anti-neoplastic effect, of *Trichinella spiralis* in mice, 463
Apatemon gracilis, mortality induced by in brook sticklebacks, 41
Ascaris lumbricoides, daily egg production by, 167
Attenuated line, of *Eimeria acervulina*, 21

Babesia bovis, cryopreservation of for *in vitro* culture, 567
Behaviour, of *Dermacentor andersoni* on normal and tick resistant guinea-pigs, 195
Brook sticklebacks, evidence of parasite-induced mortality in, 41

Caryophyllidea, progenesis, life-cycles and distribution of, 397
Chemotherapy, of murine toxoplasmosis, using minocycline, 297
Concanavalin A, induction of protection of schistosomula by, 239
Continuous-flow culture, use of for cultivating *Trypanosoma cruzi* epimastigotes, 511
Copulatory sclerite, a scanning electron microscopic study of in *Diplectanum aequans*, 63
Corynosoma semerme, the structure of the mature oocyte and zygote of, 475
Cross-immunity, between *Trichinella spiralis* and *Trichuris muris*, 381
Cryopreservation, of *Babesia bovis* for *in vitro* cultivation, 567

Density-dependence, mechanisms for in the regulation of intestinal helminth populations, 573
Dermacentor andersoni, behaviour of, on normal and tick resistant guinea-pigs, 195
Desiccation, survival of by the free-living stages of *Trichostrongylus colubriformis*, 455
Development, effect of low temperature on in *Eimeria funduli*, 31
  of *Eimeria dispersa* in the small intestine of the turkey, 13
Diet, effect of restricted pair-feeding on metabolism in chickens, 205
Digestion, disturbance of in *Haemonchus contortus*-infected sheep, 367
Diorchis spp., co-occurrence of in the European coot, 419
Diplectanum aequans, a scanning electron microscopic study of the male copulatory sclerite of, 63

Ecdysteroids, detection of in *Schistosoma mansoni*, 123
Echinococcus granulosus, intermediary metabolism in, 351
Echinococcus multilocularis, intermediary metabolism in, 351
Echinostoma revolutum, intraspecific and interspecific pairing of, 375
Egg-adapted line, of *Eimeria necatrix*, 215
Egg counts, comparison of methods for, 167
Egg production, determination of for *Ascaris lumbricoides*, 167
  importance of for maintaining acquired resistance to *Schistosoma mansoni* in mice, 93
Eimeria acervulina, an attenuated line of, 21
  development of immunity to an attenuated line of, 21
  possible use of an attenuated line of in vaccines, 21
Eimeria dispersa, parasite–host relationships of, 13
Eimeria funduli, effect of low temperature on the development of, 31
Eimeria maxima, metabolic effects of infection by in chickens, 205
Eimeria necatrix, properties of an egg-adapted line of, 215
Electrophoretic properties, of the cell surface of *Plasmodium gallinaceum* sporozoites, 227
Enzymes, acid protease activity in helminths, 137
  comparison of in isolated brush border plasma membranes of *Hymenolepis* spp., 391
  proteinase activity in the amastigotes of *Leishmania mexicana*, 149
Epimastigotes, cultivation of in continuous-flow culture, 511

Fasciola hepatica, age structure of populations of, 49
Freeze fracture, use of to study membrane differentiation in *Schistosoma mansoni*, 123
Fulica atra, co-occurrence of *Diorchis* spp. in, 419

Gametocytogenesis, an electron microscopic study of in *Plasmodium falciparum*, 1
Geckoes, re-discovery of *Haemoproteus kopki* in, 527
Glossina morsitans morsitans, vectorial capacity of sterile males of, 289
Granulocytes, infiltration of during tick feeding on resistant hosts, 195
Gut motility, effect of *Haemonchus contortus* on, in infected sheep, 367

Haematoloechus medioplexus, intraspecific and interspecific pairing of, 375
  lipophilic excretory–secretory products of, 375
Haemoglobin, hydrolysis of by acid proteases isolated from helminths, 137
Haemonchus contortus, digestive disturbances caused by in sheep, 367
Haemoproteus kopki, mixed infections of with *Leishmania*, 527
  re-discovery of in geckoes from Pakistan, 527
Haemoprotozoa, a quantitative description of the pathogenicity of, 537
Helminth metabolism, various aspects of, 177
Helminth population, density-dependent mechanisms in the regulation of, 573
Himasthla militaris, studies on the life-cycle of, 131
5-Hydroxytryptamine, correlation of levels of with circadian migration of *Hymenolepis diminuta*, 431
Hymenolepis diminuta, circadian variation in the distribution of, 431
  dynamics of infection of *Tribolium confusum* by, 157
  membrane-bound enzymes of, 391
Hymenolepis microstoma, membrane-bound enzymes of, 391
Hyposoter exiguae, effect of on growth, development and physiology of its host, 491

Immune evasion, possible mechanisms of in *Schistosoma mansoni*, 239
Immunization, of mice against *Schistosoma mansoni*, 83
Immunogenicity, of an egg-adapted line of *Eimeria necatrix*, 215
Infection site, effect of on co-occurence of *Diorchis* spp. in the European coot, 419
Intermediary metabolism, in protoscoleces of *Echinococcus* spp., 351
Intestinal helminths, density–dependent mechanisms in the regulation of, 573
Intra-epithelial leucocytes, description of in *Eimeria dispersa* infections in the turkey, 13
In vitro cultivation, of *Babesia bovis* following cryopreservation, 567
In vitro development, of infective miracidia from *Schistosoma mansoni*, 481
Isotope-labelled larvae, use of in migration studies for *Strongyloides ratti*, 443

Killifish, effect of low temperature on the development of *Eimeria funduli* in, 31
Kuhnia scombri, alleged alternation of sexual phases in, 303

Lectin-binding characteristics, of the cell surface of *Plasmodium gallinaceum* sporozoites, 227
Leishmania mexicana, proteinase activity in the amastigotes of, 149
Life-cycle, of *Himasthla militaris*, 131
Life-cycles, of Caryophyllidea, 397
Low temperature, effect of on development of *Eimeria funduli*, 31

Mathematical methods, for the description of pathogenicity in haemoprotozoal diseases, 537
Mathematic model, use of to analyse variations in age structure of *Fasciola hepatica* populations, 49
Melanoma, inhibition of by *Trichinella spiralis* in mice, 463
Membrane differentiation, a study of during development of *Schistosoma mansoni*, 123
Metabolism, effect of *Eimeria maxima* infection on in chickens, 205
  in protoscoleces of *Echinococcus* spp., 351
  various aspects of in helminths, 177
Migration, circadian nature of in *Hymenolepis diminuta*, 431
  methods for quantification of in *Schistosoma mansoni*, 263
  of *Strongyloides ratti* larvae in female hosts, 443

Minocycline, chemotherapeutic effect of against murine toxoplasmosis, 297
Miracidia, *in vitro* production of, 481
Monoclonal antibodies, against the surface antigens of schistosomula, 65
use of to immunize mice against *Schistosoma mansoni*, 83
Mortality, parasite induced in brook sticklebacks, 41
Murine toxoplasmosis, chemotherapeutic effects of minocycline against, 297

Neoplasia, development of resistance to in *Trichinella spiralis*-infected mice, 463
Notocotylus triserialis, structure and possible function of the ventral papillae of, 313

Ovaries, ultrastructural studies of, from sexually mature *Corynosoma semerme*, 475

Pair-feeding, effects of on metabolism in chickens, 205
Parasitaemia, quantitative methods describing, in haemoprotozoal diseases, 537
Parasite–host relationships, in developing *Eimeria dispersa*, 13
with respect to *Hyposoter exiguae* in its host, *Trichoplusia ni*, 491
Parasite-induced mortality, evidence of in brook sticklebacks, 41
Pathogenicity, a quantitative description of for haemoprotozoal diseases, 537
of an egg-adapted line of *Eimeria necatrix*, 215
Plasmodium falciparum, an electron microscopic study of gametocytogenesis in, 1
Plasmodium gallinaceum, properties of the cell surface of sporozoites of, 227
Population biology, regulation of in helminths, 573
Proteinases, high activity of in the amastigotes of *Leishmania mexicana*, 149

RNA, extraction and properties of an undegraded form of from *Schistosoma mansoni*, 253

Salinity, effect of on the life-cycle of *Himasthla militaris*, 131
Schistosoma mansoni, acquired resistance to in mice, 93
detection of ecdysteroids in, 123
development of infective miracidia of, *in vitro*, 481
factors affecting development of resistance to, 93, 111
identification of the antigens of, inducing resistance in mice, 111
monoclonal antibodies against surface antigens of, 65
passive immunization against using monoclonal antibodies, 83
properties of RNA extracted from, 253
protection of, induced by concanavalin A, 239
quantification of skin penetration and early migration of, 263
survival of in resistant mice, 111
Schistosoma spp., a comparative study of the vitelline cell of, 283
Schistosomula, monoclonal antibodies against surface antigens of, 65
protection of against immune damage, 239
Schistosomulum surface antigen, isolation of using monoclonal antibodies against, 65
Sclerites, methods for the study of, using scanning electron microscopy, 63
Sexual phases, alleged alternation in, in *Kuhnia scombri*, 303
Skin penetration, methods for quantification of in *Schistosoma mansoni*, 263
Sporozoites, properties of the cell surface of in *Plasmodium gallinaceum*, 227
Strongyloides ratti, migration of in female hosts, 443
Systematics, of Caryophyllidea, 397

Temperature, effect of on the life-cycle of *Himasthla militaris*, 131
Terminology, of Caryophyllidea, 397
Toxoplasma gondii, protection of mice against, using minocycline, 297
Translation, of RNA extracted from *Schistosoma mansoni*, 253
Transmission dynamics, of *Hymenolepis diminuta*, 157
Transmission, of *Trypanosoma* spp. by sterile male *Glossina m. morsitans*, 289
Tribolium confusum, the dynamics of infection of by *Hymenolepis diminuta*, 157
Trichinella spiralis, specific cross-immunity of against *Trichuris muris*, 381
Trichinellosis, the anti-neoplastic effect of in a syngeneic murine model, 463
Trichoplusia ni, effect of *Hyposoter exiguae* on the growth, development and physiology of, 491

Trichostrongylus colubriformis, survival of desiccation by the free-living stages of, 455
Trichuris muris, specific cross-immunity of against *Trichinella spiralis*, 381
Trypanosoma cruzi, growth of *in vitro*, 511
Trypanosoma spp., cyclical transmission of by sterile male *Glossina m. morsitans*, 289
Typhlocoelum cucumerinum cucumerinum, migration, growth and development of in diving ducks, 333
Typhlocoelum cucumerinum sisowi, migration, growth and development of in dabbling ducks, 333

Ultrastructure, of developing gametocytes of *Plasmodium falciparum*, 1
of the developing vitelline cell of *Schistosoma* spp., 283
of the mature oocyte and zygote of *Corynosoma semerme*, 475
of the ventral papillae of *Notocotylus triserialis*, 313

Ventral papillae, structure and possible function of in *Notocotylus triserialis*, 313
Vitelline cell, a comparative study of in *Schistosoma* spp., 283

PARASITOLOGY

(Founded by G. H. F. Nuttall, F.R.S.)

EDITORS

D. W. T. CROMPTON *and* B. A. NEWTON

EDITORIAL ASSISTANT

M. ELISABETH PAINTER, Ph.D.

ADVISORY BOARD

L. G. GOODWIN, F.R.S. (*Chairman*)

R. ANDERSON
D. R. ARTHUR
J. R. BAKER
J. BARRETT
ELIZABETH U. CANNING
L. H. CHAPPELL
S. COHEN, F.R.S.
R. R. A. COOMBS, F.R.S.
F. E. G. COX
G. A. M. CROSS
D. A. ERASMUS
D. I. GIBSON
L. P. JOYNER
C. R. KENNEDY
ANN M. LACKIE
D. L. LEE*
R. J. LINCOLN
J. LLEWELLYN
S. H. P. MADDRELL
BRIDGET M. OGILVIE
M. ELAINE ROSE
J. H. ROSE
J. F. RYLEY
G. SALT, F.R.S.
S. R. SMITHERS
K. VICKERMAN
D. WAKELIN
P. F. V. WARD
P. J. WHITFIELD
H. H. WILLIAMS
R. A. WILSON
C. A. WRIGHT

* Representing the British Society for Parasitology

VOLUME 84, 1982

CAMBRIDGE UNIVERSITY PRESS

CAMBRIDGE

LONDON NEW YORK NEW ROCHELLE

MELBOURNE SYDNEY

Published by the Press Syndicate of the University of Cambridge
The Pitt Building, Trumpington Street, Cambridge CB2 1RP
32 East 57th Street, New York, N.Y. 10022

© Cambridge University Press, 1982

Printed in Great Britain at the
University Press, Cambridge

CONTENTS

(*All rights reserved*)

PART 1 FEBRUARY 1982

PAGE

SINDEN, R. E. Gametocytogenesis of *Plasmodium falciparum in vitro*: an electron microscopic study 1

MILLARD, B. J. and LAWN, A. M. Parasite–host relationships during the development of *Eimeria dispersa* Tyzzer 1929, in the turkey (*Meleagris gallopavo gallopavo*) with a description of intestinal intra-epithelial leucocytes 13

MCDONALD, V., BALLINGALL, S. and SHIRLEY, M. W. A preliminary study of the nature of infection and immunity in chickens given an attenuated line of *Eimeria acervulina* 21

SOLANGI, M. A., OVERSTREET, R. M. and FOURNIE, J. W. Effect of low temperature on development of the coccidium *Eimeria funduli* in the Gulf killifish 31

GORDON, D. M. and RAU, M. E. Possible evidence for mortality induced by the parasite *Apatemon gracilis* in a population of brook sticklebacks (*Culaea inconstans*) 41

SMITH, GARY. An analysis of variations in the age structure of *Fasciola hepatica* populations in sheep 49

MAILLARD, C., GONZALEZ, J. and NOISY, D. A scanning electron microscope study of the male copulatory sclerite of the monogenean *Diplectanum aequans* 63

TAYLOR, D. W. and BUTTERWORTH, A. E. Monoclonal antibodies against surface antigens of schistosomula of *Schistosoma mansoni* 65

SMITH, M. A., CLEGG, J. A., SNARY, D. and TREJDOSIEWICZ, A. J. Passive immunization of mice against *Schistosoma mansoni* with an IgM monoclonal antibody 83

HARRISON, R. A., BICKLE, Q. and DOENHOFF, M. J. Factors affecting the acquisition of resistance against *Schistosoma mansoni* in the mouse. Evidence that the mechanisms which mediate resistance during early patent infections may lack immunological specificity 93

BICKLE, Q. D. Studies on the relationship between the survival of *Schistosoma mansoni* larvae in mice and the degree of resistance produced . . 111

TORPIER, G., HIRN, M., NIRDE, P., DE REGGI, M. and CAPRON, A. Detection of ecdysteroids in the human trematode, *Schistosoma mansoni* . . 123

VANOVERSCHELDE, R. Studies on the life-cycle of *Himasthla militaris* (Trematoda: Echinostomatidae); influence of temperature and salinity on the life-span of the miracidium and the infection of the first intermediate host, *Hydrobia ventrosa* 131

PAGE

MAKI, JUN, FURUHASHI, ASAMI and YANAGISAWA, TOSHIO. The activity of acid proteases hydrolysing haemoglobin in parasitic helminths with special reference to interspecific and intraspecific distribution . . 137

COOMBS, G. H. Proteinases of *Leishmania mexicana* and other flagellate protozoa 149

KEYMER, ANNE. The dynamics of infection of *Tribolium confusum* by *Hymenolepis diminuta*: the influence of exposure time and host density 157

SINNIAH, B. Daily egg production of *Ascaris lumbricoides*: the distribution of eggs in the faeces and the variability of egg counts 167

Trends and Perspectives

WARD, P. F. V. Aspects of helminth metabolism 177

PART 2 APRIL 1982

ALLEN, J. R. and KEMP, D. H. Observations on the behaviour of *Dermacentor andersoni* larvae infesting normal and tick resistant guinea-pigs . . 195

CHAPMAN, H. D., FERNANDES, D. L. and DAVISON, T. F. A comparison of the effects of infection with *Eimeria maxima* and dietary restriction on weight gain, plasma metabolites and liver glycogen in the immature fowl, *Gallus domesticus* 205

SHIRLEY, M. W., BELLATTI, M. A. and MILLARD, B. J. An egg-adapted (attenuated) line of *Eimeria necatrix*: further studies on its reproduction, pathogenicity and immunogenicity. 215

TURNER, D. P. and GREGSON, N. A. The cell surface of *Plasmodium gallinaceum* sporozoites: microelectrophoretic and lectin-binding characteristics. 227

VAN PIJKEREN, THEA A., TAVARES, C. A. P. and GAZZINELLI, G. *Schistosoma mansoni*: ability of Con A to protect *in vitro* mechanically transformed schistosomula against the lethal effect of immune serum plus complement 239

TENNISWOOD, M. P. R. and SIMPSON, A. J. G. The extraction, characterization and *in vitro* translation of RNA from adult *Schistosoma mansoni* 253

GEORGI, JAY R. *Schistosoma mansoni*: quantification of skin penetration and early migration by differential external radioassay and autoradiography 263

ERASMUS, D. A., POPIEL, I. and SHAW, J. R. A comparative study of the vitelline cell in *Schistosoma mansoni*, *S. haematobium*, *S. japonicum* and *S. mattheei* 283

MOLOO, S. K. Cyclical transmission of pathogenic *Trypanosoma* species by gamma-irradiated sterile male *Glossina morsitans morsitans* 289

TABBARA, K. F., SAKURAGI, S. and O'CONNOR, G. R. Minocycline in the chemotherapy of murine toxoplasmosis 297

FINLAYSON, JANET E. The alleged alternation of sexual phases in *Kuhnia scombri*, a monogenean of *Scomber scombrus* 303

PAGE

MacKinnon, Barbara M. The structure and possible function of the ventral papillae of *Notocotylus triserialis* Diesing, 1839 313

Scott, Marilyn E., Rau, M. E. and McLaughlin, J. D. Comparative migration, growth and development of *Typhlocoelum cucumerinum sisowi* in dabbling ducks and *Typhlocoelum cucumerinum cucumerinum* in diving ducks 333

McManus, D. P. and Smyth, J. D. Intermediary carbohydrate metabolism in protoscoleces of *Echinococcus granulosus* (horse and sheep strains) and *E. multilocularis* 351

Bueno, L., Dakkak, A. and Fioramonti, J. Gastro-duodenal motor and transit disturbances associated with *Haemonchus contortus* infection in sheep 367

Fried, B. and Leiby, D. A. Intraspecific and interspecific pairing of *Haematoloechus medioplexus* (Trematoda) and *Echinostoma revolutum* (Trematoda) adults *in vitro*, and observations on *H. medioplexus* lipophilic excretory–secretory products 375

Lee, T. D. G., Grencis, R. K. and Wakelin, D. Specific cross-immunity between *Trichinella spiralis* and *Trichuris muris*: immunization with heterologous infections and antigens and transfer of immunity with heterologous immune mesenteric lymph node cells. 381

Pappas, P. W. and Narcisi, Elizabeth M. A comparison of membrane-bound enzymes of the isolated brush border plasma membranes of the cestodes *Hymenolepis diminuta* and *H. microstoma*. 391

Trends and Perspectives

Mackiewicz, J. S. Caryophyllidea (Cestoidea): perspectives 397

Part 3 June 1982

Pojmańska, Teresa. The co-occurrence of three species of *Diorchis* Clerc, 1903 (Cestoda: Hymenolepididae) in the European coot, *Fulica atra* L. 419

Cho, C. H. and Mettrick, D. F. Circadian variation in the distribution of *Hymenolepis diminuta* (Cestoda) and 5-hydroxytryptamine levels in the gastro-intestinal tract of the laboratory rat 431

Wilson, P. A. G. and Simpson, Norma E *Strongyloides ratti*: studies of ^{75}Se-labelled larvae of the homogonic strain in female hosts . . . 443

Wharton, D. A. The survival of desiccation by the free-living stages of *Trichostrongylus colubriformis* (Nematoda: Trichostrongylidae) . . 455

Pocock, Dorothy and Meerovitch, Eugene. The anti-neoplastic effect of trichinellosis in a syngeneic murine model 463

Peura, Raija, Valtonen, E. T. and Crompton, D. W. T. The structure of the mature oocyte and zygote of *Corynosoma semerme* (Acanthocephala) 475

Newport, G. R. and Weller, T. H. Miracidia infective for snails derived from eggs laid by adult *Schistosoma mansoni in vitro* 481

PAGE

THOMPSON, S. N. Effects of parasitization by the insect parasite *Hyposoter exiguae* on the growth, development and physiology of its host *Trichoplusia ni* 491

WILLIAMS, G. T. and HUDSON, L. Growth of *Trypanosoma cruzi in vitro*: development and application of a continuous-flow culture system . . 511

TELFORD, SAM R. JR. Re-discovery of *Haemoproteus kopki* (De Mello, 1916) in two geckoes from the Afghan border of Pakistan 527

LOSOS, G. J., MCMILLAN, I., MINDER, CH. E. and SOULSBY, K. Quantitative methods in the study of the pathogenesis of haemoprotozoal diseases . 537

PALMER, D. A., BUENING, G. M. and CARSON, C. A. Cryopreservation of *Babesia bovis* for *in vitro* cultivation 567

Trends and Perspectives

KEYMER, ANNE. Density-dependent mechanisms in the regulation of intestinal helminth populations 573